



Quality Products. Service Excellence.

Type 4X Stainless Steel Wallmount Enclosure *HWSSHK Series*

Hinge Door with Handle



Application

- Designed to enclose electrical and/or electronic equipment and protect against harsh, industrial environments for wallmount applications.
- Provides high level of protection where equipment is hosed down or otherwise be exposed to wet conditions where corrosion is a serious problem.
- Ideal for processing plants, utility, outdoor municipal or petro chemical locations where easy yet secure access is required.

Standards

- UL 508A Type 3R, 4, 4X and 12
- CSA Type 3R, 4, 4X and 12
- Complies with
 - NEMA 3R, 4, 4X, 12 and 13
 - IEC 60529, IP 66

Construction


- Formed 14 gauge 304 or 316 stainless steel.
- Continuously welded seams ground smooth.
- Formed lip on enclosure to exclude flowing liquids and contaminants.
- 316 Stainless pad lockable handle with 3 point roller latching system secures door.
- Stainless steel continuous hinge on door may be removed by pulling the stainless steel hinge pin
- Seamless poured-in place gasket.
- Collar studs provided for mounting inner panel.
- Bonding stud provided on door and grounding stud installed in enclosure.

Finish

- Cover and enclosure are natural stainless steel with smooth brushed finish.

Accessories

- | | |
|--|--------------------|
| • Inner Panels | • Climate Control |
| • Blowers and Fans | • Ventilation |
| • Door Stop Kit | • Drip Shield Kit |
| • Floor Stand Kit | • Filtered Fans |
| • Filterfan Rainhoods - 3R | • Heaters |
| • Gland Plates | • Gland Plates |
| • Type 3R Louvered Vent Kits | • Swing Panel Kit |
| • Terminal Kits | • Window Kits |
| • Temperature Controls and Accessories | • Hole Plugs |
| • Type 12/4, 4X Handle Kits | • Ground Wire Kits |



| 304 S.S. Part No. | 316 S.S. Part No. | A | B | C | Opt. Panel Part No. | Galv. Steel Part No. | Mounting Centers F G | |
|----------------------|----------------------|-------|-------|------|------------------------|-------------------------|-------------------------|-------|
| HW24206SSHK | HW24206S16HK | 24.00 | 20.00 | 6.00 | 18P2117 | 18G2117 | 14.00 | 25.25 |
| HW24246SSHK | HW24246S16HK | 24.00 | 24.00 | 6.00 | 18P2121 | 18G2121 | 18.00 | 25.25 |
| HW24168SSHK | HW24168S16HK | 24.00 | 16.00 | 8.00 | 18P2113 | 18G2113 | 10.00 | 25.25 |
| HW24208SSHK | HW24208S16HK | 24.00 | 20.00 | 8.00 | 18P2117 | 18G2117 | 14.00 | 25.25 |
| HW24248SSHK | HW24248S16HK | 24.00 | 24.00 | 8.00 | 18P2121 | 18G2121 | 18.00 | 25.25 |
| HW24308SSHK | HW24308S16HK | 24.00 | 30.00 | 8.00 | 18P2721 | 18G2721 | 24.00 | 25.25 |
| HW30208SSHK | HW30208S16HK | 30.00 | 20.00 | 8.00 | 18P2717 | 18G2717 | 14.00 | 31.25 |
| HW30248SSHK | HW30248S16HK | 30.00 | 24.00 | 8.00 | 18P2721 | 18G2721 | 18.00 | 31.25 |
| HW30308SSHK | HW30308S16HK | 30.00 | 30.00 | 8.00 | 18P2727 | 18G2727 | 24.00 | 31.25 |
| HW36248SSHK | HW36248S16HK | 36.00 | 24.00 | 8.00 | 18P3321 | 18G3321 | 18.00 | 37.25 |
| HW36308SSHK | HW36308S16HK | 36.00 | 30.00 | 8.00 | 18P3327 | 18G3327 | 24.00 | 37.25 |
| HW42368SSHK | HW42368S16HK | 42.00 | 36.00 | 8.00 | 18P3933 | 18G3933 | 30.00 | 43.25 |
| HW48368SSHK | HW48368S16HK | 48.00 | 36.00 | 8.00 | 18P4533 | 18G4533 | 30.00 | 49.25 |

| 304 S.S. Part No. | 316 S.S. Part No. | A | B | C | Opt. Panel Part No. | Galv. Steel Part No. | Mounting Centers F G | |
|----------------------|----------------------|-------|-------|-------|------------------------|-------------------------|-------------------------|-------|
| HW242010SSHK | HW242010S16HK | 24.00 | 20.00 | 10.00 | 18P2117 | 18G2117 | 14.00 | 25.25 |
| HW302410SSHK | HW302410S16HK | 30.00 | 24.00 | 10.00 | 18P2721 | 18G2721 | 18.00 | 31.25 |
| HW362410SSHK | HW362410S16HK | 36.00 | 24.00 | 10.00 | 18P3321 | 18G3321 | 18.00 | 37.25 |
| HW363010SSHK | HW363010S16HK | 36.00 | 30.00 | 10.00 | 18P3327 | 18G3327 | 24.00 | 37.25 |
| HW423010SSHK | HW423010S16HK | 42.00 | 30.00 | 10.00 | 18P3927 | 18G3927 | 24.00 | 43.25 |
| HW483610SSHK | HW483610S16HK | 48.00 | 36.00 | 10.00 | 18P4533 | 18G4533 | 30.00 | 49.25 |
| HW242412SSHK | HW242412S16HK | 24.00 | 24.00 | 12.00 | 18P2121 | 18G2121 | 18.00 | 25.25 |
| HW302412SSHK | HW302412S16HK | 30.00 | 24.00 | 12.00 | 18P2721 | 18G2721 | 18.00 | 31.25 |
| HW363012SSHK | HW363012S16HK | 36.00 | 30.00 | 12.00 | 18P3327 | 18G3327 | 24.00 | 37.25 |
| HW363612SSHK | HW363612S16HK | 36.00 | 36.00 | 12.00 | 18P3333 | 18G3333 | 30.00 | 37.25 |
| HW423612SSHK | HW423612S16HK | 42.00 | 36.00 | 12.00 | 18P3933 | 18G3933 | 30.00 | 43.25 |
| HW483612SSHK | HW483612S16HK | 48.00 | 36.00 | 12.00 | 18P4533 | 18G4533 | 30.00 | 49.25 |
| HW603612SSHK | HW603612S16HK | 60.00 | 36.00 | 12.00 | 18P5733 | 18G5733 | 30.00 | 61.25 |
| HW302416SSHK | HW302416S16HK | 30.00 | 24.00 | 16.00 | 18P2721 | 18G2721 | 18.00 | 31.25 |
| HW363016SSHK | HW363016S16HK | 36.00 | 30.00 | 16.00 | 18P3327 | 18G3327 | 24.00 | 37.25 |
| HW483616SSHK | HW483616S16HK | 48.00 | 36.00 | 16.00 | 18P4533 | 18G4533 | 30.00 | 49.25 |
| HW603616SSHK | HW603616S16HK | 60.00 | 36.00 | 16.00 | 18P5733 | 18G5733 | 30.00 | 61.25 |

Data subject to change without notice

© 2018. Hammond Manufacturing Ltd. All rights reserved.