
# Cabinet "U" Handles

Round Aluminum, with Tapped Holes







### Metric table

2	Dimensions in: millimeters					
d <sub>1</sub>	Length   ±0.25 Finish SW, SR, BL	Finish WSA / SMA	<b>d</b> <sub>2</sub> Thread	h	r	t min.
20 .79	200 7.87	200 7.87	M 8	68 2.68	.87	15 .59
20 .79	250 9.84	250 9.84	M 8	68 2.68	.87	15 .59
20 .79	300 11.81	300 11.81	M 8	68 2.68	.87	15 .59
20 .79	350 13.78	-	M 8	68 2.68	.87	15 .59
28 1.10	250 9.84	250 9.84	M 10	78 3.07	32 1.26	15 .59
28 1.10	300 11.81	300 11.81	M 10	78 3.07	32 1.26	15 .59
28 1.10	350 13.78	-	M 10	78 3.07	32 1.26	15 .59
28 1.10	400 <i>15.75</i>	400 15.75	M 10	78 3.07	32 1.26	15 .59

# **Specification**





SW

SR

SMA

**○ WSA** 

Aluminum

d<sub>1</sub> = 20: solid material

 $d_1 = 28$ : tube Ø 28x4 mm

Powder coated
 Black, RAL 9005, textured finish
 Black, RAL 9005, antibacterial
 Silver, RAL 9006, textured finish

White, RAL 9016, antibacterialBlank, tumbled finish

• Tapped inserts
Aluminum

RoHS compliant

# On request

- Special designs
- · Various metric size fasteners and kit packaging

## Information

GN 426 cabinet "U" handles are manufactured from a bent aluminum profile and have excellent stability and ergonomic design. The manufacturing process allows the production of special designs in relatively small quantities.

In addition to the standard finishes, these cabinet "U" handles are also available with a functional coating: The **WSA / SMA** versions have a powder coating based on zinc molybdate, which gives it antibacterial properties. The antibacterial function, which is activated by the presence of moisture, demonstrably reduces the growth of bacteria within 24 hours, so that contaminated surfaces ultimately have less than 0.2 % of the original number of microbes.

Standard parts with antibacterial powder coating are primarily used in the health care sector and in public buildings, such as airports, train stations, stadiums, etc.

#### see also...

- Product Range Cleanline
- Cabinet "U" Handles GN 428 (Aluminum)

####